






DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: AE/RITTAL
ENCLOSURE DIMENSION (W*H*D) (800*1000*300)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 5X10KVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 150/160A,25ka
C	2	MCB 10A, 10ka
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1	1	CAPACITOR SWITCHING (CONTACTOR, 22kW, 30kVAR)
K2,K3	2	CAPACITOR SWITCHING (CONTACTOR, 15kW, 13kVAR)
B1,B2	2	1 unit capacitor(15KVAR) janitza ,450VAC,50Hz
B3,B4	2	1 unit capacitor(10KVAR) janitza ,450VAC,50Hz



DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: AE/RITTAL
ENCLOSURE DIMENSION (W*H*D) (800*1000*300)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 5X15kVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 150/160A,25kA
C	2	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1,K2	2	CAPACITOR SWITCHING (CONTACTOR, 22kW, 30kVAR)
K3	1	CAPACITOR SWITCHING (CONTACTOR, 18kW, 16.7kVAR)
B1...B5	5	1 unit capacitor(15KVAR) janitza ,450VAC,50Hz



DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: AE/RITTAL
ENCLOSURE DIMENSION (W*H*D) (800*1000*300)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 4X25kVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 200A,36kA
C	2	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1	1	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
K2,K3	2	CAPACITOR SWITCHING (CONTACTOR, 22kW, 30kVAR)
B1..B4	4	1 unit capacitor(25KVAR) janitza ,450VAC,50Hz
F	1	FAN & FILTER UNIT



DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: AE/RITTAL
ENCLOSURE DIMENSION (W*H*D) (800*1000*300)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 5X25kVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 250A,36kA
C	2	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-Janitza)
K1,K2	2	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
K3	1	CAPACITOR SWITCHING (CONTACTOR, 22kW, 30kVAR)
B1...B5	5	1 unit capacitor(25KVAR) Janitza ,450VAC,50Hz
F	1	FAN & FILTER UNIT



DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: AE/RITTAL
ENCLOSURE DIMENSION (W*H*D) (800*1200*300)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 6X25kVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 300/400A,50kA
C	2	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1,K2	2	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
K3,K4	2	CAPACITOR SWITCHING (CONTACTOR, 22kW, 30kVAR)
B1...B6	6	1 unit capacitor(25KVAR) Janitza ,450VAC,50Hz
F	1	FAN & FILTER UNIT



DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: AE/RITTAL
ENCLOSURE DIMENSION (W*H*D) (800*1200*300)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 7X25kVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 300/400A,50kA
C	2	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-Janitza)
K1,K2,K3	3	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
K4	1	CAPACITOR SWITCHING (CONTACTOR, 22kW, 30kVAR)
B1...B7	7	1 unit capacitor(25KVAR) Janitza ,450VAC,50Hz
F	1	FAN & FILTER UNIT



DOOR LAYOUT




INSIDE VIEW



SIDE VIEW


ENCLOSURE TYPE: AE/RITTAL
ENCLOSURE DIMENSION (W*H*D) (800*1200*300)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 4X50kVAR

DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 375/400A,50kA
C	2	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-Janitza)
K1...K4	4	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B8	8	1 unit capacitor(25KVAR) Janitza ,450VAC,50Hz
F	1	FAN & FILTER UNIT




DOOR LAYOUT

ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (600*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 5X50KVAR




INSIDE VIEW




SIDE VIEW

DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 470/630A,50kA
Q	5	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-Janitza)
K1...K5	5	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B10	10	1 unit capacitor(25KVAR) Janitza ,450VAC,50Hz
F	1	FAN & FILTER UNIT




DOOR LAYOUT

ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (600*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 6X50kVAR




INSIDE VIEW




SIDE VIEW


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 560/630A,50kA
Q	6	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-Janitza)
K1...K6	6	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B12	12	1 unit capacitor(25KVAR) Janitza ,450VAC,50Hz
F	1	FAN & FILTER UNIT



DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (800*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 7X50kVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 660/800A,50kA
F	7	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-Janitza)
K1...K7	7	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B14	14	1 unit capacitor(25KVAR) Janitza ,450VAC,50Hz
F	1	FAN & FILTER UNIT



DOOR LAYOUT






INSIDE VIEW



SIDE VIEW




ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (800*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 8X50kVAR

DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 750/800A,50kA
Q	8	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-Janitza)
K1...K8	8	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B16	16	1 unit capacitor(25KVAR) Janitza ,450VAC,50Hz
F	1	FAN & FILTER UNIT




ENCLOSURE TYPE: Free Standing
 ENCLOSURE DIMENSION (W*H*D) (1200*2100*600)mm
 INGRESS PROTECTION : IP54
 NUMBER OF STEPS 9X50kVAR

DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 850/1000A,50kA
Q	9	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-Janitza)
K1...K9	9	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B18	18	1 unit capacitor(25KVAR) Janitza 25kVAR 450VAC,50Hz
F	2	FAN & FILTER UNIT




ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (1200*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 10X50kVAR

DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 1000/1000A,50kA
Q	10	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1...K10	10	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B20	20	1 unit capacitor(25KVAR) Janitza 25kVAR 450VAC,50Hz
F	2	FAN & FILTER UNIT




DOOR LAYOUT

ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (1200*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 11x50kVAR




INSIDE VIEW





SIDE VIEW


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 1000/1000A,50kA
Q	10	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1...K11	11	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B22	22	1 unit capacitor(25KVAR) Janitza 25kVAR 450VAC,50Hz
F	2	FAN & FILTER UNIT




ENCLOSURE TYPE: Free Standing
 ENCLOSURE DIMENSION (W*H*D) (1200*2100*600)mm
 INGRESS PROTECTION : IP54
 NUMBER OF STEPS 12X50kVAR




DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 1125/1250A,50kA
Q	12	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1...K12	12	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B24	24	1 unit capacitor(25KVAR) Janitza 25kVAR 450VAC,50Hz
F	2	FAN & FILTER UNIT



DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (600*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 13X50kVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 1400/1600A,50kA
Q	13	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-Janitza)
K1...K13	13	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B26	26	1 unit capacitor(25KVAR) Janitza ,450VAC,50Hz
F	2	FAN & FILTER UNIT



DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (600*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 14X50kVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 1400/1600A,50kA
F	15	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1...K14	14	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B28	28	1 unit capacitor(25KVAR) janitza ,450VAC,50Hz
F	2	FAN & FILTER UNIT



DOOR LAYOUT




INSIDE VIEW




SIDE VIEW

ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (600*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 15X50kVAR


DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 1400/1600A,50kA
C	15	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1...K15	15	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B30	30	1 unit capacitor(25KVAR) janitza ,450VAC,50Hz
F	2	FAN & FILTER UNIT



DOOR LAYOUT



INSIDE VIEW



SIDE VIEW

ENCLOSURE TYPE: Free Standing
ENCLOSURE DIMENSION (W*H*D) (600*2100*600)mm
INGRESS PROTECTION : IP54
NUMBER OF STEPS 16X50kVAR

DESIGNATION	QTY	DESCRIPTION
Q	1	MCCB 1500/1600A,50kA
C	16	Fuse 125A, HRC
C	4	MCB 10A, 10kA
U	1	POWER FACTOR CONTROLLER (Prophi-janitza)
K1...K16	16	CAPACITOR SWITCHING (CONTACTOR, 45kW, 60kVAR)
B1...B32	32	1 unit capacitor(25KVAR) janitza ,450VAC,50Hz
F	2	FAN & FILTER UNIT